

Fujitsu recommends Windows 8 Pro.

# Data Sheet

## Fujitsu STYLISTIC Q702

### Tablet PC

#### Attach or Touch - The Hybrid Business Talent

The Fujitsu STYLISTIC Q702 is the perfect choice for mobile professionals looking for high-performance without compromising on versatility. With its attachable keyboard option, this lightweight hybrid tablet PC enables easy content creation and consumption. Either use it as a tablet when traveling or attach the keyboard and convert the STYLISTIC Q702 into a traditional notebook for additional usability in the office. The 29.5 cm (11.6-inch) display with pen and finger input support offers you excellent flexibility while optional 4G/LTE completes the picture of a professional tablet.

#### Hybrid - Notebook and versatile tablet PC in one

Benefit from ultimate versatility - enjoy consuming content with the STYLISTIC Q702 as a tablet or attach the keyboard and use it as a traditional notebook when back in the office for creating valuable content in meetings or when collaborating with customers and colleagues.

- Lightweight 29.5 cm (11.6-inch) hybrid tablet PC, starting from only 850 g, dual digitizer for pen input plus capacitive multiple-touch screen for finger input, solid magnesium cover
- Optional attachable full-size keyboard, with USB 2.0, Status LED and dedicated battery for enhanced battery runtime up to 9 hours
- Front and rear camera, anti-glare display with Ambient Light Sensor and numerous interfaces

#### Fully-featured tablet with more than enough performance

Maximum productivity even for the most demanding of applications thanks to state-of-the-art technology.

- 3rd generation Intel® Core™ i3 or i5 processor and optional Intel® vPro™ technology

#### Ultimate security

Protect your company data against unauthorized third-party access.

- Advanced Theft Protection (Intel® Anti Theft & Computrace®), fingerprint sensor and optional TPM module

#### Maximum connectivity

Always available on the move; wireless connectivity anytime, even without a hotspot nearby

- Optional integrated 4G/LTE or 3G/UMTS (incl. GPS), WLAN and Bluetooth



# Components

<b>Processor</b>	Intel® Core™ i5-3437U processor (1.9 GHz, up to 2.9 GHz, 3 MB) Intel® Core™ i3-3227U processor (1.9 GHz, 3 MB)
<b>Operating systems</b>	
<b>Operating system</b>	Windows 8 Windows 8 Pro
<b>Operating system compatible</b>	Windows 8 Windows® 7
<b>Hard disk drives (internal)</b>	SSD mSATA, 256 GB SSD mSATA, 128 GB, Opal TCG SSD mSATA, 128 GB, FDE SSD mSATA, 128 GB SSD mSATA, 64 GB, Opal TCG SSD mSATA, 64 GB, FDE SSD mSATA, 64 GB
<b>Hard disk notes</b>	One Gigabyte equals one billion bytes, when referring to hard disk drive capacity. Accessible capacity may vary, also depending on used software. Up to 18 GB of HDD space is reserved for system recovery Internal HDD interface: S-ATA III (6GBit/s)
<b>WLAN (optional)</b>	Atheros Minicard 802.11 b/g/n Intel® Centrino® 6205 802.11 a/b/g/n
<b>Wireless technologies</b>	
<b>Antennas</b>	2x dual band for WLAN, 2x for UMTS/LTE, 1x for Bluetooth (on Bluetooth module)
<b>WLAN notes</b>	Import and usage according to country-specific regulations.
<b>UMTS/GPS notes</b>	Including GPS functionality
<b>3G/4G (optional)</b>	Sierra Wireless Gobi 3000 (Downlink speed 14.4 Mbit/s, Uplink speed 5.76 Mbit/s) LTE Sierra Wireless MC7710 (Downlink speed up to 100 Mbit/s, Uplink speed up to 50 Mbit/s)
<b>Bluetooth (optional)</b>	Bluetooth 4.0
<b>Display</b>	
<b>Base unit</b>	STYLISTIC Q702 dual digitizer
<b>General system information</b>	
<b>Chipset</b>	Intel® QM77
<b>Chipset notes</b>	supports iAMT 8.0, Intel® vPro™ requires Core i5-34xx, Intel W-LAN 6205 & TPM module
<b>BIOS features</b>	BIOS Flash EPROM BIOS based on Phoenix SecureCore
<b>S26391-K362-V100 STYLISTIC Q702</b>	
<b>Display</b>	29.5 cm (11.6-inch), IPS dual digitizer, (HD), Anti-glare touchscreen, 1366 x 768 pixel (recommended), 500:1, 400 cd/m <sup>2</sup>
<b>Display notes</b>	Wide-view high-bright LED display (for enhanced outdoor viewing). With magnesium display lid. Integrated ambient light sensor for automatic backlight adjustment to the working environment.
<b>Aspect ratio</b>	16:9
<b>Brightness - typical</b>	400 cd/m <sup>2</sup>
<b>Contrast - typical</b>	500:1
<b>Digitizer</b>	Dual Digitizer for pen input plus capacitive 10-finger multi-touch screen
<b>Ambient light sensor</b>	Integrated

**S26391-K362-V100 STYLISTIC Q702**

<b>Ambient light sensor notes</b>	While enabled, the ambient light sensor automatically adjusts the display backlight
-----------------------------------	---

**Graphics**

<b>TFT resolution (HDMI)</b>	up to 1920 x 1200
<b>TFT resolution (VGA)</b>	up to 1920 x 1200
<b>Graphics brand name</b>	Intel® HD Graphics 4000 with 3rd generation Core i processors
<b>Graphics features</b>	3 Display Support with 3rd generation Core i processors DirectX 11
<b>Graphics notes</b>	Shared memory depending on main memory size and operating system 3D accelerator

**Interfaces**

<b>Memory card slots</b>	1 (SD up to 2GB, SDHC up to 32GB, SDXC up to 64GB)
<b>SIM card slot</b>	1 (usable only with 3G/UMTS, 4G/LTE)
<b>USB 3.0 total</b>	1
<b>USB 2.0 total</b>	1
<b>HDMI</b>	1
<b>DC-in</b>	1
<b>Audio: line-in / microphone</b>	1
<b>Audio: line-out / headphone</b>	1
<b>Internal microphones</b>	2 (digital)
<b>Docking connector for Port Replicator</b>	1

**Wired communication**

<b>LAN</b>	Built-in 10/100/1000 MBit/s Intel® 82579 LM
------------	---

**Multimedia**

<b>Audio type</b>	On board
<b>Audio codec</b>	Realtek ALC269
<b>Audio features</b>	2x digital array microphones, 2x built-in speakers (stereo)
<b>Camera</b>	Built-in webcams, HD front camera plus 5.0 megapixel rear camera

**Power supply**

<b>Notes</b>	60W/65W AC Adapter for usage with system
<b>1st battery</b>	Li-Ion battery 3-cell, 3.150 mAh, 34 Wh
<b>Runtime 1st battery</b>	up to 4h 12m
<b>Runtime 1st + 2nd battery</b>	up to 9h 30m
<b>Battery charging time</b>	~ 252min (3.150mAh)
<b>Battery notes</b>	Battery runtime information is based on worldwide acknowledged BAPCO Mobile Mark 2007 Benchmark (readers mode e.g. surfing the internet, writing E-mails, viewing documents) which provides results that enable direct product comparisons between manufacturers. It does not guarantee any specific battery runtime which actually can be lower and may vary depending on product model, configuration, application and power management settings. The battery capacity slightly decreases with every charging cycle and over the lifetime.

**Dimensions / Weight / Environmental**

<b>Dimensions (W x D x H)</b>	302 x 195 x 12.7 mm
<b>Weight</b>	0.850 kg
<b>Operating ambient temperature</b>	5 - 35 °C
<b>Operating relative humidity</b>	20 - 85 % (running)

**Additional Software**

<b>Additional software (preinstalled)</b>	Adobe® Reader® Microsoft® Touch Pack for Windows® 7 Nero Essentials (burning software) Norton Internet Security (incl. Firewall) 60 days version Application Panel Auto Rotation Utility Display Manager Fujitsu Recovery (Hard Disk Based Recovery) Plugfree Network Power Saving Utility Security Application Panel ShockSensor Utility Tablet Button Utility Don't forget Office.
<b>Additional software (optional)</b>	Drivers & Utilities DVD (DUDVD) UMTS connection manager (optional with UMTS) CyberLink YouCam Recovery DVD (Windows® 7)

**Manageability**

<b>Manageability technology</b>	DeskUpdate Driver management PXE 2.1 Boot code Wake up from S5 (off mode) Intrusion switch (optional) Intel® Standard Manageability WoL (Wake on LAN)
<b>Manageability software</b>	DeskView Client DeskView Instant BIOS Management DeskView Integration for Symantec Management Platform
<b>DeskView components</b>	Inventory Management BIOS Management Driver Management Security Management Alarm Management
<b>Supported standards</b>	WMI PXE BootP (made4you)
<b>Manageability link</b>	<a href="http://www.fujitsu.com/fts/manageability">http://www.fujitsu.com/fts/manageability</a>

**Security**

<b>Audit proof protection</b>	Advanced Theft Protection (Intel® Anti Theft & Computrace®) Norton Internet Security (incl. Firewall) 60 days version Write protect option for the Flash EPROM Control of all USB interfaces User and supervisor BIOS password Optional: Trusted platform module (TPM 1.2)
<b>Access protection</b>	Integrated Fingerprint Sensor User and supervisor BIOS password Hard disk password OmniPass security software

**Product**

<b>Compliance link</b>	<a href="https://sp.ts.fujitsu.com/sites/certificates/">https://sp.ts.fujitsu.com/sites/certificates/</a>
------------------------	---

**Port Replicator interfaces (optional)**

	Docking Keyboard
<b>DC-in</b>	1 (19V)
<b>USB 2.0 total</b>	2

**Port Replicator interfaces (optional)**

VGA	1
Ethernet (RJ-45)	1 (10/100/1000)

**Warranty**

Standard Warranty	2 years
Service level	Collect & Return Service / Bring-in Service (for countries within region FTS CEMEA&I, for all other countries depending on local regulations)
Warranty Terms & Conditions	<a href="http://support.ts.fujitsu.com/warranty">http://support.ts.fujitsu.com/warranty</a>
<b>Maintenance and Support Services - the perfect extension</b>	
Recommended Service	9x5, Response Time: Next Business Day
Service Weblink	<a href="http://www.fujitsu.com/fts/services/support">http://www.fujitsu.com/fts/services/support</a>

## Recommended Accessories

### Attachable Keyboard STYLISTIC Q702



The Attachable Keyboard exclusively for STYLISTIC Q702 is the ultimate productivity accessory. The keyboard has a dedicated battery for enhanced runtime of up to nine hours and additional USB, VGA and LAN interfaces. The full-sized keyboard transforms your tablet into a traditional notebook for high-efficiency content creation without any compromise on mobility.

Order Code:  
S26391-F1207-L2xx

### Car/Truck Power Adapter 90



People who are often on business or private trips want to power up their handhelds, tablet PCs and notebooks anywhere and anytime. The Fujitsu Car/Truck Power Adapter 90 will charge your Tablet PC or notebook anywhere a 12 V or 24 V power supply is available.

Order Code:  
S26391-F2613-L610

### Tablet Sleeve 11



The Fujitsu Tablet Sleeve 11 is a thin tailored sleeve for your Fujitsu Tablet. It is the ideal match for tablets up to 29.5 cm (11.6-inch) and provides thin and light protection for your tablet when you are on the go. Enjoy sophisticated design with high quality PU leather and nylon accented by tasteful red highlights.

Order Code:  
S26391-F1191-L311

### USB2.0-LAN-Adapter



The Fujitsu USB2.0-LAN-Adapter allows you to connect your computer to a 10/100 Mbps network simply by a USB port. The USB 2.0 (480 Mbps) ensures full network speed without any compromise.

Order Code:  
S26391-F6055-L510

### CELVIN® Drive M200



The CELVIN Drive M200 is an ultra-portable and high-class storage device. Since it is compatible with USB3.0 and USB 2.0, it can be used with a large variety of devices. It is ideal for notebook and desktop users. It makes data backup easier and faster than ever.

Order Code:  
S26341-F103-L500

# More information

## Fujitsu OPTIMIZATION Services

In addition to Fujitsu STYLISTIC Q702, Fujitsu provides a range of platform solutions. They combine reliable Fujitsu products with the best in services, know-how and worldwide partnerships.

### Fujitsu Portfolio

Build on industry standards, Fujitsu offers a full portfolio of IT hardware and software products, services, solutions and cloud offering, ranging from clients to datacenter solutions and includes the broad stack of Business Solutions, as well as the full stack of Cloud offering. This allows customers to leverage from alternative sourcing and delivery models to increase their business agility and to improve their IT operation's reliability.

### Computing Products

[www.fujitsu.com/global/services/computing/](http://www.fujitsu.com/global/services/computing/)

### Software

[www.fujitsu.com/software/](http://www.fujitsu.com/software/)

## More information

Learn more about Fujitsu STYLISTIC Q702, please contact your Fujitsu sales representative or Fujitsu Business partner, or visit our website.  
[www.fujitsu.com/fts/tabletpc](http://www.fujitsu.com/fts/tabletpc)

## Fujitsu green policy innovation

Fujitsu Green Policy Innovation is our worldwide project for reducing burdens on the environment.  
Using our global know-how, we aim to contribute to the creation of a sustainable environment for future generations through IT. Please find further information at <http://www.fujitsu.com/global/about/environment/>



## Copyrights

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)

Copyright © Fujitsu Technology Solutions

## Disclaimer

Technical data are subject to modification and delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner.

## CONTACT

FUJITSU Technology Solutions  
Website: [www.fujitsu.com/fts](http://www.fujitsu.com/fts)  
2013-02-05 CE-EN

All rights reserved, including intellectual property rights. Changes to technical data reserved. Delivery subject to availability. Any liability that the data and illustrations are complete, actual or correct is excluded. Designations may be trademarks and/or copyrights of the respective manufacturer, the use of which by third parties for their own purposes may infringe the rights of such owner. For further information see [www.fujitsu.com/terms](http://www.fujitsu.com/terms)  
Copyright © Fujitsu Technology Solutions